



Optional LCD KVM Rack Mount Kit

Standard Installation Rack Mount Kit



Std Installation – Short
(Standard, incl. in package)



Std Installation – Long
(2X-010G)



Std Installation – Long
(2X-023G)



Std Installation – Long
(2X-040G)



Std Installation – 2-in-1U
(2K-0001/2K-0007)

Easy Installation Rack Mount Kit



Easy Installation – Short
(2K-0003)



Easy Installation – Long
(2K-0004)



Easy Installation – Short
(2K-0005)



Easy Installation – Long
(2K-0006)



Easy Installation – 2-in-1U
(2K-0002)



Compatibility List


Model No.	Bracket Type	Depth (cm)
CL1000N	Standard Installation - Short (Standard)	52 - 85
	Standard Installation - Long (2X-023G)	70 - 105
	Easy Installation - Short (2K-0003)	57 - 70
	Easy Installation - Long (2K-0004)	68 - 105
CL1308N, CL1316N	Standard Installation - Short (Standard)	52 - 85
	Standard Installation - Long (2X-023G)	70 - 105
	Easy Installation - Short (2K-0005)	57 - 70
	Easy Installation - Long (2K-0006)	68 - 105
CL3000N	Standard Installation - Short (Standard)	52 - 85
	Standard Installation - Long (2X-010G)	70 - 105
	Easy Installation - Short (2K-0003)	57 - 70
	Easy Installation - Long (2K-0004)	68 - 105
CL5800N, CL5808N, CL5816N, CL6700MW, CL6708MW, CL5708N, CL5716N, CL5708IN, CL5716IN	Standard Installation - Short (Standard)	52 - 85
	Standard Installation - Long (2X-010G)	70 - 105
	Easy Installation - Short (2K-0005)	57 - 70
	Easy Installation - Long (2K-0006)	68 - 105
CL1008M, CL1016M, CL5708M, CL5716M, CL5708IM, CL5716IM	Standard Installation - Short (Standard)	42 - 82
	Standard Installation - Long (2X-010G)	68 - 105
	Easy Installation - Short (2K-0005)	57 - 70
	Easy Installation - Long (2K-0006)	68 - 105
KL1108VN, KL1116VN, KL1508AN, KL1516AN, KL1508AiN, KL1516AiN, KL1508AM, KL1516AM, KL1508AiM, KL1516AiM	Standard Installation - Short (Standard)	42 - 77
	Standard Installation - Long (2X-010G)	68 - 105
	Easy Installation - Short (2K-0005)	57 - 70
	Easy Installation - Long (2K-0006)	68 - 105

Model No.	Bracket Type	Depth (cm)
CL3884NW, CL3108NX, CL3116NX	Standard Installation - Short (Standard)	58 - 80
	Standard Installation - Long (2X-040G)	70 - 105
	Easy Installation - Short (2K-0005)	57 - 70
	Easy Installation - Long (2K-0006)	68 - 105
CL1000M	Standard Installation - Short (Standard)	42 - 72
	Standard Installation - Long (2X-010G)	68 - 100
	Easy Installation - Short (2K-0003)	57 - 70
	Easy Installation - Long (2K-0004)	68 - 105
CL3800	Standard Installation - Short (Standard)	47 - 75
	Standard Installation - Long (2X-040G)	70 - 100
	Standard Installation - 2-in-1U (2K-0001/2K-0007)	*
	Easy Installation - Short (2K-0003)	46.5 - 70
	Easy Installation - Long (2K-0004)	68 - 105
	Easy Installation - 2-in-1U (2K-0002)	*
CL3100, CL3700	Standard Installation - Short (Standard)	42 - 72
	Standard Installation - Long (2X-040G)	70 - 100
	Standard Installation - 2-in-1U (2K-0001/2K-0007)	*
	Easy Installation - Short (2K-0003)	42.5 - 70
	Easy Installation - Long (2K-0004)	68 - 105
	Easy Installation - 2-in-1U (2K-0002)	*

Note: * Please refer to next page for 2-in-1U rack mount kit details.



2-in-1U Rack Mount Kit Compatibility List



Mounting Kit	LCD KVM Console	CL3800	CL3700	CL3100	Depth of KVM Switch (cm)	Applicable Rack Depth (cm)		
	Compatible KVM Model							
2K-0001/2K-0002	CS1768	●	N/A	N/A	15.5	78-105		
	CS1754/CS1758, CS1308/CS1316, CS1708A/CS1716A, KH1508A/KH1516A/KH1532A, KH1508Ai/KH1516Ai	●	N/A	●				
	CS19208/CS19216	●	●	N/A			21	83.5-105
	CS1798/CS17916	●	●	N/A			25.4	87.9-105
2K-0007	KN1108VA/KN1116VA	●	●	●	28	88.5-105		
	KN4116VA/KN4132VA, KN2116VA/KN2132VA, KN1132V, KN4140VA/KN4124VA, KN2140VA/KN2124VA	●	●	●	40.7	101.2-105		