




## 1m / 2m 240W USB-C to USB-C Braided Charging Cable

2L-3101P240 / 2L-3102P240

**Connect with Ease.  
Charge in Peace.**



Engineered for efficient charging and data transfer performance without compromising longevity, the ATEN 2L-3101P240 / 2L-3102P240 nylon-braided charging cable supports up to 240W (5A) fast charging and 480Mbps data transfer rates while resisting daily wear and tear. An E-Marker chip is integrated to ensure optimal power delivery with enhanced safety. Available in 1m and 2m length options, it adapts to your tech setup whether you're at your desk or on the move.



E-Marker



5A High Current



Braided Cable

## Features

### **Up to 240W (5A) Fast Charging**

Elevate your charging experience with support for up to 240W power delivery and 5A output to power a wide range of USB-C devices, including smartphones, tablets, laptops, and more.

### **E-Marker Chip Integrated for Optimum Performance and Safety**

Intelligently identifies the charging devices and automatically adjusts the required current to avoid overcharging, overheating, and device damage for a fast yet safe charging experience.

### **Built to Last with Premium Materials**

Features multi-layered shielding to avoid data transmission degradation caused by Electromagnetic Interference (EMI). Plus, the tough nylon-braided exterior withstands daily wear and tear, twisting, and pulling, making it a reliable companion for everyday use and travel.

### **Up to 480Mbps Data Transmission**

Compliant with USB 2.0 standards, the cable powers up not just your device but also productivity with supporting file / data transfer and charging simultaneously.

## Specification

2L-3101P240	
Power Capacity	240W max. (48V/5A)
Data Rate	480Mbps max.
Physical Properties	
Cable Length	1m
Cable Color	Black
Cable Jacket Type	PVC + Braided
Cable Shield Type	Aluminum Foil
Connector Type	USB-C to USB-C
Connector Material	Aluminum Alloy + TPE
Connector Plating	Nickel Plated
Environmental	
Operating Temperature	0 – 40°C

2L-3102P240	
Power Capacity	240W max. (48V/5A)
Data Rate	480Mbps max.
Physical Properties	
Cable Length	2m
Cable Color	Black
Cable Jacket Type	PVC + Braided
Cable Shield Type	Aluminum Foil
Connector Type	USB-C to USB-C
Connector Material	Aluminum Alloy + TPE
Connector Plating	Nickel Plated
Environmental	
Operating Temperature	0 – 40°C

## Package Contents

1x 2L-3101P240 / 2L-3102P240 240W USB-C to USB-C Braided Charging Cable (1m / 2m)

### ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datung Rd., Sijhih District,  
New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 | Fax: 886-2-8692-6767  
www.aten.com | E-mail: marketing@aten.com

Released: 06/2026 V1.0

© Copyright 2026 ATEN® International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners. Product information is subject to change without prior notice.