

# CS82A



## 2포트 PS/2 KVM 스위치

→ CS82A는 전면 및 뒷면 패널에 PS/2가 내장된 KVM 스위치입니다. 1개의 콘솔을 통해 2개의 서버를 제어할 수 있으며, 전면 패널의 버튼 또는 핫키 구성을 통해 컴퓨터 제어를 전환할 수 있습니다. CS82A는 다중 컴퓨터 관리를 위한 가장 간단하고 편리한 솔루션으로 견고하고 내구성이 뛰어나며 작은 인클로저 디자인이 특징입니다.



## 제품 특징

- 1개의 PS/2 콘솔로 2대의 컴퓨터 제어
- 전면 패널의 푸쉬 버튼과 핫키를 통한 컴퓨터 선택
- 우수한 비디오 품질 - 최대 1920 x 1440; DDC2B 해상도 지원
- Supports Microsoft IntelliMouse, Logitech MouseMan, FirstMouse, IBM Scrollpoint 마우스 지원
- 컴팩트하고 견고하며 내구성이 뛰어난 금속 하우징
- 오류 없는 부팅을 위한 키보드 및 마우스 에뮬레이션
- 자동 스캔으로 컴퓨터 모니터링
- 별도 전원 장치 필요 없음

## 제품 사양

컴퓨터 연결	2
포트 선택	Hotkey, Pushbutton

커넥터	콘솔 포트	키보드	1 x 6-pin Mini-DIN Female (Purple)
		비디오	1 x HDB-15 Female (Blue)
		마우스	1 x 6-pin Mini-DIN Female (Green)
	KVM 포트	키보드	2 x 6-pin Mini-DIN Female (Purple)
		비디오	2 x HDB-15 Male (Blue)
		마우스	2 x 6-pin Mini-DIN Female (Green)
	전원		1 x DC Jack (Black)
스위치	포트		2 x Pushbutton
LEDs	온라인		2 (Orange)
	선택		2 (Green)
에뮬레이션	키보드/마우스		PS/2
비디오			1920 x 1440; DDC2B
스캔 간격			3, 5, 10, 20 Seconds
전원 소모량			DC9V, 1.08W
사용 환경	작동 온도		0°~50°C
	보관 온도		-20°~60°C
	습도		0~80% RH, Non-condensing
제품 외관	재질		Metal
	무게		0.42 kg
	치수 ( L x W x H )		14.00 x 8.70 x 5.50 cm

## 다이어그램



### ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2012 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their respective owners.