

2x4 / 4x4 USB 3.2 Gen 1 Peripheral Sharing Switch

US234 / US434 / US3324 / US3344

ATEN US234 / US434 / US3324 / US3344 is a 2/4-port USB 3.2 Gen1 peripheral sharing device that allows users to share four USB devices between 2 or 4 different general computers by using USB 3.2 Gen 1 Type-B to Type-A cables.

The US3324 / US3344 allows for a neat and tidy installation –The connecting cables are bundled to save the extra cost of purchasing USB cables. The additional USB 3.2 Gen 1 Type-B to Type-C cable included in the US3324 / US3344 package, which can connect to the USB-C computers and allows for hybrid and flexible usage, is the most cost-effective solution for USB-C equipped laptops and tablet computers.

The US234 / US434 / US3324 / US3344 is USB 3.2 Gen1 compliant, which can support data transfer rate up to 5Gbps and backwards compatible with USB 2.0 and USB1.1. It is perfect for high-bandwidth devices, such as USB docking stations or HD cameras.

In addition, the US234 / US434 / US3324 / US3344 also features an external remote port selector that can simplify desktop layout, and select which computer needs to use the USB devices. With its compact and all-in-one design, you can create a space saving, convenient and productive work environment.



US234 / US3324




US434 / US3344



Features

- Enables 2/4 computers to share 4 USB 3.2 Gen1 devices
- Simple port selection via remote port selector for convenient switch placement
- USB 3.2 Gen1 compliant, supporting data transfer rates of up to 5Gbps
- LEDs indicates which computer is active
- Over-current protection
- Micro USB power jack for additional power supply
- Bus-powered – no external power supply needed
- Plug and Play – no drivers or external power adapter needed
- Multiplatform support – Windows, Linux and Mac



Note: The US434 / US3344 is pictured above. The US234 / US3324 only has 2 PC ports.

Specifications

	US234	US434	US3324	US3344
Computer Connections	2	4	2	4
Port Selection	Remote port selector	Remote port selector	Remote port selector	Remote port selector
Connectors				
Computer	2 x USB Type B Female (Blue)	4 x USB Type B Female (Blue)	2 x USB Type B Female (Blue)	4 x USB Type B Female (Blue)
Device	4 x USB Type A Female (Blue)	4 x USB Type A Female (Blue)	4 x USB Type A Female (Blue)	4 x USB Type A Female (Blue)
Power (Optional)	1 x USB micro B Female (Black)	1 x USB micro B Female (Black)	1 x USB micro B Female (Black)	1 x USB micro B Female (Black)
Cable Length				
USB Cable	USB A to B Cable 1.2m x 2	USB A to B Cable 1.2m x 2 USB A to B Cable 1.8m x 2	USB A to B Cable 1.2m x 2 USB C to B Cable 1.8m x 1	USB A to B Cable 1.2m x 2 USB A to B Cable 1.8m x 2 USB C to B Cable 1.8m x 2
Remote Port Selector	1.8 m	1.8 m	1.8 m	1.8 m
LEDs				
Selected	2 (White)	4 (White)	2 (White)	4 (White)
Environmental				
Operating Temperature	0 - 40°C	0 - 40°C	0 - 40°C	0 - 40°C
Storage Temperature	-20 - 60°C	-20 - 60°C	-20 - 60°C	-20 - 60°C
Humidity	0 - 80% RH, Non-condensing	0 - 80% RH, Non-condensing	0 - 80% RH, Non-condensing	0 - 80% RH, Non-condensing
Physical Properties				
Housing	Plastic	Plastic	Plastic	Plastic
Weight	0.12 kg	0.13 kg	0.12 kg	0.13 kg
Dimensions (L x W x H)	9.37 x 9.30 x 2.68 cm	9.37 x 9.30 x 2.68 cm	9.37 x 9.30 x 2.68 cm	9.37 x 9.30 x 2.68 cm

Note: According to updates from the USB-IF, USB 3.0 is now referred to as USB 3.2 Gen 1. All products are presented using the updated naming in the datasheet. However, the US234 / US434 product unit and its packaging may still be labeled as USB 3.0, based on the naming used at the time of development. Both refer to the same specification, supporting data transfer rates of up to 5 Gbps.

Product information is subject to change without prior notice.

ATEN International Co., Ltd.

3 F., No. 125, Sec. 2, Datong Rd., Xizhi Dist., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com

Released: 05/2026 V3.0

© Copyright 2026 ATEN® International Co. Ltd.
ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.

