



## 2 x 4 USB 2.0 Sharing Switch

**US4224**


Instantly Manage Four Peripherals  
with A Single Press




The US4224 enables sharing of up to four USB Type-A peripherals at data transfer rates up to 480 Mbps between two PCs at a press of the built-in pushbutton thanks to InstaSync™ technology it adopts for fast switching. It comes plug-and-play to support mainstream operating systems, including Windows, macOS, and Linux, without any driver or software installation. The compact casing with accent light enhances aesthetic appeal, matching the vibes of your hybrid workstation or gaming corner.



One Button  
Switch



USB 2.0



Compact  
Design



Accent  
Light

## Features

### InstaSync™ Technology

Fast USB switching capability that keeps the flow smooth and uninterrupted

### Four USB Device Sharing Across Two Computers

Farewell to the need of swapping cables and peripherals between two separate computers

### 480 Mbps Transfer with USB 2.0

Up to 480 Mbps data transfer rates ensure quick and efficient file transfer performance

### Quick Switch via Built-In Pushbutton

Enjoy the hassle-free experience of switching USB peripherals between two systems with just one single button press

### Compact Enclosure with Accent Lighting

Aesthetically pleasing with its accent lighting and a casing so compact that it occupies very little space


### Hot Pluggable

Allows adding / removal of the peripherals/computers connected to the installation without having to power down the switch. Besides, no drivers or software is required

### OS Independent

Compatible with mainstream operating systems including Windows, macOS, and Linux


## Installation



## Specification

<b>Computer Connections</b>	2
<b>Port Selection</b>	Pushbutton
<b>Connectors</b>	
Computer	2 x USB Type-A Female (Black)
Device	4 x USB Type-A Female (Black)
Power (Optional)	1 x USB-C Female (Black)
<b>Cable Length</b>	
USB Cable	2 x USB 2.0 Type-A to Type-A Cable (1.5m)
<b>LEDs</b>	
Selected	2 (Orange)
Power	2 (Orange, Bottom Side)
<b>Environmental</b>	
Operating Temperature	0 – 40°C
Storage Temperature	-20 – 60°C
Humidity	10 – 80% RH, Non-condensing
<b>Physical Properties</b>	
Housing	Plastic
Weight	76 g
Dimensions (L x W x H)	14.5 x 5.65 x 1.52 cm
<b>Carton Lot</b>	20 pcs

## Package Contents



### ATEN International Co., Ltd.

3F, No.125, Sec. 2, Datung Rd., Sijhih District.,  
New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 | Fax: 886-2-8692-6767  
www.aten.com | E-mail: marketing@aten.com

Released: 12/2025 V1.0

© Copyright 2025 ATEN® International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners. Product information is subject to change without prior notice.