




2 x 4 USB 3.2 Gen1 Sharing Switch (Host Type: A+C)

US5324

Four Peripherals,
Instantly in Command



The US5324 enables sharing of up to four USB peripherals at a blazing-fast data transfer rate reaching 5 Gbps between one USB Type-A host and one USB Type-C host at a press of the built-in pushbutton or the remote port selector (package included) thanks to InstaSync™ technology it adopts for fast switching. It comes plug-and-play to support mainstream operating systems, including Windows, macOS, and Linux, without any driver or software installation. The compact casing with accent light enhances aesthetic appeal, matching the vibes of your hybrid workstation or gaming corner.



Features

InstaSync™ Technology

Fast USB switching capability that keeps the flow smooth and uninterrupted

Four USB Device Sharing Across One USB Type-A and One USB-C Computers

Farewell to the need of swapping cables and peripherals between two separate computers

5 Gbps Data Transfer with USB 3.2 Gen 1

Up to 5 Gbps SuperSpeed data transfer rates, which is about 10 times faster than the USB 2.0 standard, allow users to transfer large files quickly and efficiently

Quick Switch via Built-In Pushbutton and Remote Port Selector

Enjoy the hassle-free experience of switching USB peripherals between two systems with just one single press to the button on US5324 or the remote port selector (package included)

Compact Enclosure with Accent Lighting

Aesthetically pleasing with its accent lighting and a casing so compact that it occupies very little space


Hot Pluggable

Allows adding / removal of the peripherals/computers connected to the installation without having to power down the switch. Besides, no drivers or software is required

OS Independent

Compatible with mainstream operating systems including Windows, macOS, and Linux


Installation



Specification

| | |
|------------------------|--|
| Computer Connections | 2 |
| Port Selection | Pushbutton / Remote Port Selector |
| Connectors | |
| Computer | 2 x USB-C Female (Black) |
| Device | 3 x USB Type-A Female (Blue) 1 x USB-C Female (Black) |
| Power (Optional) | 1 x USB-C Female (Black) |
| Remote Port Selector | 1 x USB-C Female (Black) |
| Cable Length | |
| USB Cable | 1 x USB 3.2 Gen 1 Type-C to Type-A Cable (1.5 m) 1 x USB 3.2 Gen 1 Type-C to Type-C Cable (1.5 m) |
| LEDs | |
| Selected | 2 (Orange) |
| Power | 2 (Orange, Bottom Side) |
| Environmental | |
| Operating Temperature | 0 – 40°C |
| Storage Temperature | -20 – 60°C |
| Humidity | 10 – 80% RH, Non-condensing |
| Physical Properties | |
| Housing | Plastic |
| Weight | 77g |
| Dimensions (L x W x H) | 14.5 x 5.65 x 1.52 cm |
| Carton Lot | 20 pcs |

Package Contents



ATEN International Co., Ltd.
3F., No.125, Sec. 2, Datung Rd., Sijhih District.,
New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 | Fax: 886-2-8692-6767
www.aten.com | E-mail: marketing@aten.com

Released: 02/2026 V2.0
© Copyright 2026 ATEN® International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners.
Product information is subject to change without prior notice.

