

## USB-C Multiport Dock with Power Pass-Through UH3237

- The ultra-sleek ATEN USB-C Multiport Dock is a one-step total upgrade for your laptop that provides all the extra expansion capabilities that you need. Simply use one cable to add up to 13 devices, with power delivery pass-through to boost your productivity with extra HDMI, VGA, USB 3.2 Gen 1, USB 2.0, SD/MicroSD, Ethernet and Audio connections.

Enjoy stunning 4K video or a dual HD monitor setup with HDMI, and VGA functionality. The UH3237 routes video from a source computer to a HDMI monitor via a single cable while maintaining the highest quality 4K resolution. You can also mirror or extend your Windows USB-C laptop to two monitors at 1920 x 1080@60hz.

The UH3237 also supports USB-C Power Delivery Pass-Through up to 85W, which means it can provide power to your device via a USB-C PD power adapter with the PD profile specifications of 5V, 9V, 12V, 15V, 20V.

The integrated USB 3.2 Gen 1 Type-A port supports data transfer rate up to 5Gbps, giving seamless access to USB flash drive. The USB 2.0 Type-A port are designed for keyboard and mouse to minimize the signal interference. The equipped Type-C data port can be used for the latest USB-C devices.

This ergonomic, plug-and-play device (no software drivers are needed) is compatible with all major operating systems (Windows, OS X and iPad Pro). Save space on your desktop by placing your laptop directly on top of the lightweight yet rugged dock or display the dock next to your monitors for a stylish, minimalist workstation.




Widok z przodu



Widok z tyłu:





## Features

- Expands up to 13 devices instantly through a USB-C cable
- Supports USB power delivery 3.0 (PD3.0) for laptop charging up to 85W via USB-C PD power adapter – power profiles include 5V, 9V, 12V, 15V, 20V
- Supports single display output resolution up to 4K@30 (3840x2160@30Hz) on a single HDMI or dual display output at 1080p (1920x1080@60Hz)
- 1 x USB 3.2 Gen 1 Type-A port supports Battery Charging Specification Revision 1.2 (BC 1.2) for fast-charging device
- 1 x USB 3.2 Gen 1 Type-C data port for latest USB-C device
- Stylish and ultra slim design allows user to place a 15" laptop directly on the top of the docking station and save more desk space\*
- Enhanced EMI protection by increasing the cable braid density and adding conductive foam
- Built-in memory card readers (SD/MMC/Micro SD)
- Works with all major operating systems: Windows®, OS X®, and iPad Pro
- Compatible with Thunderbolt 3 (USB-C)
- 3.5mm Stereo 4-Pole Audio Jack with Microphone
- Gigabit Ethernet

\*Fits 13"~15" laptop with a USB-C port on the left side.

## Specyfikacja

Funkcja	UH3237
Computer Connections	1
<b>Złącza</b>	
Komputer	1 x wtyk USB-C (czarny)
Urządzenie	2x gniazdo USB 2.0 Typ-A (czarne)* 2 x gniazdo USB 3.2 Gen 1 Typ-A (niebieskie)* 1 x gniazdo USB 3.2 Gen 1 Typ -C (tylko dane)* *Łączna maksymalna moc wyjściowa 6 portów USB to 5V, 10W.
Wyjście video	2 x gniazdo HDMI 1 x gniazdo VGA

Porty LAN	1 x Gniazdo RJ45 Gigabit Ethernet (Czarne)
Audio	1 x 3.5mm stereo 4-pole microphone and headphone jack
Zasilanie	<p>1 x Gniazdo zasilania DC USB-C*</p> <p>* Supports USB Power Delivery 3.0 for charging up to 85W, power profiles includes 5V, 9V, 12V, 15V and 20V (additional USB-C PD power adapter needed).</p> <p>* The minimum system power requirement for basic USB functions and video output should be at least 5V, 15W. For device charging, a Limited Power Source (LPS) certified USB-C PD power adapter over 65 Watt is recommended.</p> <p>* The first 15W will supply to the UH3237, and the balance power will supply to the laptop.</p>
<b>Performance</b>	
Flash Memory	<p>1 x slot dla kart SD (SD/SDHC/SDXC)</p> <p>1 x slot dla kart Micro SD (Micro SD/SDHC/SDXC do 128GB)</p>
Video Resolution	<p><b>Single View:</b> HDMI - 3840x 2160@30hz VGA - 1920 x 1080@60hz</p> <p><b>Dual View*:</b> HDMI 1 / HDMI 2 – 1920 x 1080@60hz HDMI 1 / VGA – 1920 x 1080@60hz</p> <p>* For Dual-View to work, a computer's graphics card must support MST technology. Mac computers and iPad Pro only support a single-view output.</p>
Power Consumption	DC 5V, 15W
System Requirements	<p>Windows 10 and above, USB-C enabled computer with DP Alt Mode*</p> <p>* With Intel 7th-Generation Core Processor (Kaby-Lake) and above. For more information on the CPU generation, please go to <a href="https://www.intel.com/content/www/us/en/processors/processor-numbers.html">https://www.intel.com/content/www/us/en/processors/processor-numbers.html</a>. Mac OS X 10.12 and above, USB-C enabled computer iOS 12.1 and above, iPad Pro 3rd generation (2018)***</p> <p>*** For better HID experience, iPadOS 13 and above is recommended.</p>
<b>Environmental</b>	
Operating Temperature	0 – 40°C
Storage Temperature	-20 – 60°C
Humidity	0 – 80% RH, bez kondensacji
<b>Physical Properties</b>	
Housing	Top Cover – Aluminum Bottom Panel - Plastik
Weight	0.37 kg
Dimensions (L x W x H)	35.03 x 7.50 x 1.48 cm

Product information is subject to change without prior notice.

**ATEN International Co., Ltd.**

 3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
 www.aten.com E-mail: marketing@aten.com

Publish Date: 12/2019 V1.0


 © Copyright 2019 ATEN® International Co., Ltd.  
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
 All rights reserved. All other trademarks are the property of their respective owners.